OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 4230-4242, *dated* 29*th August* 1933.

To

The Firms dealing in Electrical Materials.

Enquiry No. 526.

GENTLEMEN, METAL PARTS FOR CEILING ROSES.

I write to request you to quote your best prices and earliest time of delivery for brass metal portions which are required for the 5 amp. ceiling roses manufactured in the Government Porcelain Factory, Bangalore. The dimensions, etc., of the materials are shown in the sketch which can be had from the undersigned.

The materials should strictly conform to the dimensions shown in the sketch.
Prices may be quoted alternatively for lots of 1,000, 2,000, 5,000, or 10,000 pairs.
The price to be quoted should be for delivery, f.o.r., Bangalore.
This enquiry will close on the 20th September 1933.

No. S. P. C. 4215-4222, *dated* 29*th August* 1933.

To

The Firms dealing in Mathematical Instruments.

Enquiry No. 525.

MATHEMATICAL INSTRUMENTS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms."

The quotations should be superscribed "Quotations for Mathematical Instruments on Enquiry No. 525."

This enquiry will be closed on the 20th September 1933.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Parallel Ruler 12", brass	10	Hassan.	
2	Wooden Protractor	10		
3	Set Squares 45° Celluloid, 6" size	10		
4	Set Squares 60° Celluloid, 6" x 8" size ..	10		
5	Boxwood triangular scale with off set six edges divided 10 to 60 (English).	10		

No. S. P. C. 4353-4387, *dated* 30*th August* 1933.

To

The Firms dealing in Water Meters.

Enquiry No. 528.

WATER METERS.

GENTLEMEN,

Please refer to our circular letter No. 15451-75, dated 27th March 1933, on the subject of the tender for water meters once before submitted by you.

The Stores Purchase Committee have now decided to purchase water meters of the sizes and numbers given below:—

½" meters	... ...	4,500
¾"		1,900

Please be good enough to intimate your best prices and the earliest time of delivery for above.

The meters should conform to the specifications attached for your information.

This enquiry is subject to the following conditions:—

(1) The purchase of the entire number specified against each size is not guaranteed, but you should be prepared to supply the entire number required within four months from the date of receipt of the order.

(2) Withdrawal frow the quotation after it is accepted or failure to make the supplies within the specified time or according to specifications will entail cancellation of the order and purchases being made at your risk from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

Tenders should be submitted before 12 noon on Thursday the 21st September 1933. Tenders received thereafter will not be considered nor can any extension of time be granted for submission of tenders for any reason whatsoever.

SPECIFICATION FOR WATER METERS.

1. The meters shall be of the Inferential Fan Type of the Semi positive Disc Type and shall have a dry dial and a straight reading Index.

2. They shall be suited generally for horizontal installation but a small number will be required specially suited to vertical installation.

3. Every meter shall be guaranteed to work automatically at least for two years without repairs or renewals of spare parts when dealing with water which may contain :1 per cent of residual chlorine and a small trace of iron also.

4. The meters shall record only in one forward direction and not backward.

5. The accuracy of registry in the meters over varying rates of flow of water shall be guaranteed up to 2 per cent for all sizes.

6. The minimum rate of flow of water capable of being registered by the meters shall be not more than three gallons per hours.

7. The maximum temperature of the water passing through the meters shall not be more than 105°F and every part of the meter shall be guaranteed to work unaffected by expansion or contraction between the temperatures of 60°F and 100°F in the City.

8. All the parts of the meter shall ensure extreme accuracy of sizes in manufacture enabling interchangeability and ease in removing and fixing up of the required parts.

9. The manufacturer shall supply with the meters the test reports and charts giving full details of the variation in the rates of flow under different conditions of head of water.

10. Every meter shall be fitted with a properly sealed adjusting device for making adjustments during repairs. The meter shall also be provided with arrangements for locking it with lead seals so as to prevent manipulation of the index by unauthorised persons.

11. As far as possible the meters shall be provided with spur-gear or bevel-gear drives both for the indexing dry-gear and for the regulating wet under-gear.

12 Similarly the meter shall not consist of any parts liable to deteriorate under water or corrosion by electrolytic or chemical action.

13. Every meter supplied shall be accompanied by a certificate testifying the body of the meter being proof against a pressure up to 400 lbs. per square inch and the whole meter tested with running water up to 150 lbs. per square inch.

14. The overall dimensions and weights of the meters shall be within the following range :—

Size	Maximum length with unions	Maximum length without unions	Breadth	Height	Weight
inches	inches	inches	inches	inches	
½	9¾	6¼	3½	4¾	4¼ to 6½ lbs.
¾	11¼	7⅝	3¾	5	5 to 7¾ lbs.
1	13⅜	8⅞	4¼	5¼	7 to 9½ lbs.

The following special specifications shall also be complied with in the tender :—

1. *Body of Meter.*—To be of strong construction using non-corrodible metal or alloy preferably nonferrous.

2. *Strainer.*—Of a capacity of at least four times the sectional area of the diameter of pipe and to be made of a non-corrodible metal.

3. *Toe Piece or Pivot.*—Also non-corrodible and mounted on Jewelled Bearings.

4. *Fan or Vane Wheel.*—Shall be free from chemical or electrolytic action and shall

5. *Entry of Water to.*—The meter shall preferably be even on all sides of the fan and not such as to cause any side thrust on the spindle in any particular direction.

6. *Regulator or Index Gears.*—Shall be also of non-corrodible materials with parts cut most accurately. They shall be so housed as to be protected from any foreign substances tending to clog their working. The stuffing box separating the two gear systems shall be provided with bronze or other bushings and the bearing shall be such as to minimise friction as well as wear.

7. *Dial.*—shall be bold and clear figures reading up to 1,000,000 gallons before being set back to zero again. The enamelling and the figuring shall be such as not to get effaced easily. The Dial-plate shall be made of a light yet strong material not likely to chip off at the edges.

No. S. P. C. 4541-4550, dated 2nd September 1933.

To

The Furniture Contractors.

Enquiry No. 534.

SUBJECT—SUPPLY OF FURNITURE.

DEAR SIR/GENTLEMEN,—

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below and according to conditions of tender enclosed.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Furniture on Enquiry No. 534."

This enquiry will be closed on the 15th September 1933.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Teakwood bug-proof chairs height of back 3' height in front 28" plain seat 18" x 1" x 22½" not more than two planks to be used for seats.	8	Hassan	
2	Teakwood benches 6' x 1' x 18". Thickness of plank 1", 6 legs of 2" x 2" with cross bars of 1½" x 1" with broad putties to support plank 2½" x 1".	1		
3	Teakwood almirah with 5 shelves and wooden shutters 6¼' x 3½' x 1½'.	1		

Conditions of contract for the supply of Articles of Furniture.

(1) The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teakwood or Rosewood as the case may be free from all defects, such as, knots, bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

(2) The articles will be subject to inspection by an officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

(3) The soundness of all the articles should be guaranteed for one year during which period, the defects that may be noticed by the Department will have to be

(4) You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

(5) Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of Approved Firms.

No. S. P. C. 4536-4540, *dated 2nd September* 1933.

To

The Firms dealing in Hospital Requisites.

Enquiry No. 533.

SUBJECT—STERILIZERS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Sterilizers on Enquiry No. 533." This enquiry will be closed on the 20th September 1933.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.	Time of delivery
	Fish kettle Sterilizer best enamelled iron, oblong shape, with cover and perforated tray to be used on any fire, stove, gas, electric plate, etc. Measurement :— Length 17¾" Height 6½ Width 4·3/8"	39	Bangalore	

No. S. P. C. 4551-4560, *dated 2nd September* 1933.

To

The Firms dealing in maps and Charts.

Enquiry No. 535

SUBJECT—SUPPLY OF MAPS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Puchase Committee reserve the right to remove your name from the list of approved firms.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Urdu Political maps of size 43" x 50"			
1	Australia	2	Hassan	
2	Africa	2		
3	North America	2		
4	South America	2		

Yours faithfully,
M. S. RAMCHENDRA RAO,
Secretary,
Stores Purchase Committee.

No. S. P. C. 4257—58, dated 29th August 1933.

List of contracts placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the week ending 26th August 1933.

Indent No.	Enquiry No.	Description of article	Quantity	Name of firms	Value of contract
LOCAL.				Messrs.—	Rs. a. p.
2501	400	Oil Engine—4 H. P. 700 R. P. M. "Deretz" Horizontal cold starting complete with accessories.	One	South Indian Export Co., Ltd., Madras.	1,650 0 0 f.o.r., Hassan
		Pump—"Mather and Platt" delivery 50 gls. against a head of 80/100 ft. with a speed of 1,400 R. P. M.	One	M. Ramiah, Bangalore City ...	435 0 0 Do
2490	380	Grease—"Texaco" No. 960—Spl. Rod cup for Locomotives.	4 cwts.	The Texas Company, Madras ...	52 8 0 per. cwt. free delivery at Railway Stores.
Extn: 2503	481	Paris Green—"Riedel" non-water colouring containing 55 to 58 per cent Arsenic trioxide chem. bound.	30 ,,	T. Ramachandra Rao, Madras.	73 8 0 per cwt. f.o.r., Bangalore.
2504	499	Banath—Scarlet colour...	60 yards	Yacoob Sheriff & Co., Bangalore	5 0 0 per yard Free delivery at the Military Stores.
		Serge—Blue 'Longsight'	60 ,,	E. Spinner & Co., Bombay ...	2 13 0 per yard f.o.r., Bombay.
FOREIGN.					
1284	401	Lamps—Flood lighting—1000 watts. "Mazda" Round-bulb—220 volts	400	British Thomson Houston Co., London.	£ 377 18 4 f.a.s., New York
		Lamps—Flood Lighting—500 watts "Mazda" Round bulb—220 volts	50	British Thomson-Houston Co., London, through the Trade Comissioner for Mysore in London.	£ 29 16 10 do
1285	424	Transformers—Telephone Insulating Ratio 1:1.	12	International General Electric Co., London.	$ 30:00 each do
		Combined double pole Fused Switch and Lightning Arresters indoor type.	12	Do do ...	$ 20:00 each do
		"Cut-outs-Novalux" for Ornamental street lighting units, Ping Type series.	50	Do do ...	$ 5:96 each do
		Combined Vacuum and air gap arresters for use on Telephone circuits.	148	International General Electric Co., London, through the Trade Commissioner for Mysore in London.	$ 1·70 each do
1286	334	Pomona Unidrive Pump, 18 stage 5½ inch. Type L. C. Bowels. 5½" column and one shaft with one set of spare parts with one Westinghouse 7½ H. P. motor of 25 Cycles 220 volts—3 Phase.	2 sets.	The General Supplying Agency, Bangalore.	$ 1617:44 the lot c.i.f., Madras
1289	473	Tubular Steel Poles 45 ft. long of 3 Sections.	1,600	Stewarts & Lloyds, Calcutta ...	£ 7 1 3 each c.i.f., do

M. S. RAMCHENDRA RAO,